

# NATIONAL SCHOOL DISTRICT

1500 "N" Avenue, National City, CA 91950 - (619) 336-7770

Dear Parent or Guardian:

The Healthy Schools Act of 2000 was signed into law in September 2000 and requires that all schools provide parents or guardians of students with an annual written notification of potential expected pesticide use on school sites. We, or our pest control vendors, may use the following pesticides at your school this year:

| Name of Pesticide/Herbicide                                | Active Ingredient(s)                            | Name of Pesticide/Herbicide                  | Active Ingredient(s)                         |
|--|---|--|--|
| 4-Speed XT   | Isooctyl, Triclopyr, Diamba Acid                | P.C.Q. Rodenticide                           | Diphacinone                                  |
| 911 Fire Ant & Insect Dehydrator                           | Pyrethrins/Silicon Dioxide /Piperoni/Butoxide   | Precor 2000 Plus                             | Methoprene/Permethrin/Phenothrin             |
| Bayer Advanced Carpenter & Termite Killer Plus             | Beta-Cyfluthrin/Deltamethrin                    | Pro-Control                                  | Pyrethrins                                   |
| Bayer Advanced Natria Flower & Garden Multi-Insect Control | Sulfer/Pyrethrius                               | Proscape 20-0-7 w/Trimec                     | Dichlorophenoxyacetic Acid                   |
| Biobarrier   | Trifluration/Carbon Black                       | Quali-Pro Glyphosate T & O                   | Isopropylamine Salt of Glyphosate            |
| Boric Acid   | Orthoboric Acid                                 | Razor Pro                                    | Isopropylamine Salt of Glyphosate            |
| Black Flag Ant/Roach/Spider Killer                         | Pyrethrins/Permethrin/MGK-264                   | Reward                                       | Diquat dibromide/Propylene Glycol            |
| Doom Weed Killer Spray                                     | Dichlorophenoxyacetic Acid, DMA Salt, Bromacil  | Roundup Pro                                  | Ispropylamine Salt of Glyphosate             |
| Durazone Weed & Grass Killer                               | Glyphosate, Diquat Dibromide, Indaziflam        | Safer Insecticidal Soap                      | Potassium Salts/Ethyl Alcohol/Methyl Alcohol |
| Ecoexempt G  | Eugenol/Thyme Oil                               | Scythe                                       | Pelargonic Acid                              |
| Ecoexempt KO   | Phenethyl Propionte/Eugenol                     | Sedgehammer                                  | Halosulfuron-Methy                           |
| Ecopco Jet X   | Phenethyl Propionte/Piperonyl Bufonide          | Sluggo Snail and Slug Bait                   | Iron Phosphate                               |
| Enforcer Wasp & Yellow Jacket Foam                         | Tetramethrin/Sumithrin                          | Snapshot 2.5 TH                              | Trifluralin/Isoxaben/Dimethoxybenzamide      |
| Fusilade II  | Fluazifop-P-Butyl Teclinical/Butyl Propanoate   | Speed Zone                                   | Ethyl/Ethylexyl ester                        |
| Gly Star Pro   | Isopropylamine Salt of Glyphosate               | Spectracide Termite Killing Foam             | Lambda-cyhalothrin/Praliethrin               |
| Gopher Getter Bait (Type 2)                                | Diphacinone                                     | Spectricide Ant Shield Home Barrier Granules | Lambda-Cyhalothrin                           |
| Grass Getter   | Sethoxydim                                      | Surestop Mole & Gopher Bait                  | Zinc Phosphide                               |
| Hot Shot Fogger  | Permethrin/Xylene/Tetramethrin                  | Surflan A.S.                                 | Oryzalin/propylene glycol/Glycerine          |
| Killer for Ice Plant Weeds                                 | Magnesium Chloride                              | Termite & Carpenter Ant Killer               | Deltamethrin                                 |
| Lebanon Pro 25-0-8 plus trimec                             | Dichlorophenoxyacetic Acid                      | The Giant Destroyer                          | Sodium Nitrate/Sulfur                        |
| Merit 0.5G   | Imidacloprid                                    | Top Gun Pellet Rodenticide                   | Bromethalin                                  |
| Montery Garden Insect Spray                                | Spinosad  | Place Pack                                   |  |
| One-Shot (Best)  | 24-D/Mecoprop/Dicamba/Dithiopyr/ Propionic Acid | Trimec Plus                                  | Monosodium Acid/Dimethylamine Salt           |
| Orthene Systemic Insect                                    | Acephate  | Turf Supreme with Trimec                     | Dichlorophenozyacetic Acid                   |
| Ortho Elementals Garden Disease Control                    | Copper Octanoate                                | WASP-FREEZE                                  | D-Trans Allethrin/Phenothrin                 |
| PCO Fogger   | Pyrethrin                                       | Year Round Spray Oil                         | Petroleum Oil/Emulsifier                     |
| <b>POSSIBLE PESTICIDES USED BY ARV PEST CONTROL</b>        |   |  |  |
| Conrac Rodenticide   | Bromadiolone                                    | Terad 3                                      | Cholecalciferol                              |
| Fumitoxin  | Phosphine                                       | Wilco Zinc AG Bait                           | Zinc Phosphide                               |
| Omega Gopher Grain Bait                                    | Strychnine Alkaloid                             |  |  |

Areas of Application: Interior and exterior areas and perimeters, as needed. Reason for application: To control pests from entering into classrooms and prevent herbicidal overgrowth. Weed abatement will normally be performed on weekends or when school is not in session.

You can find more information regarding these pesticides and pesticide use reduction at the California Department of Pesticide Regulation's Website at <http://www.cdpr.ca.gov/schoolipm/>. A copy of National School District's Integrated Pest Management plan (IPM) can be viewed at any school office or can be viewed at the National School District web site: ([www.nsd.us](http://www.nsd.us)) at: NSD Home →Departments→Maintenance and Operations →IPM.

Parents or guardians may request prior notification of individual pesticide application at their child's school site by filling out the page attached to this notice and returning it with the registration packet. The form is also available at your child's School Office or can be downloaded from the National School District web site: ([www.nsd.us](http://www.nsd.us)) at NSD Home→For Parents/Students→Parent/Guardian Annual Pesticide Notification.

Parents or guardians who completed the Pesticide Application Notification form will be notified at least 72 hours before pesticides are scheduled to be applied at their child's school. Note: the 72 hour prior notification preceding an application requirement is not applicable during "Emergency" (time critical) applications.

# NATIONAL SCHOOL DISTRICT

1500 "N" Avenue, National City, CA 91950 - (619) 336-7770

Estimados padres de familia y tutores:

En septiembre de 2000, la Ley de Escuelas Saludables de 2000 fué aprobada y requiere que todas las escuelas proveean a los padres y tutores de los estudiantes una notificación por escrito del posible uso de pesticidas en los planteles escolares. Es posible que nosotros, o nuestros proveedores de control de plagas usemos los siguientes pesticidas este ciclo escolar:

| Name of Pesticide/Herbicide                                | Active Ingredient(s)                            | Name of Pesticide/Herbicide                  | Active Ingredient(s)                         |
|--|---|--|--|
| 4-Speed XT   | Isooctyl, Triclopyr, Diamba Acid                | P.C.Q. Rodenticide                           | Diphacinone                                  |
| 911 Fire Ant & Insect Dehydrator                           | Pyrethrins/Silicon Dioxide /Piperoni/Butoxide   | Precor 2000 Plus                             | Methoprene/Permethrin/Phenothrin             |
| Bayer Advanced Carpenter & Termite Killer Plus             | Beta-Cyfluthrin/Deltamethrin                    | Pro-Control                                  | Pyrethrins                                   |
| Bayer Advanced Natria Flower & Garden Multi-Insect Control | Sulfer/Pyrethrius                               | Proscape 20-0-7 w/Trimec                     | Dichlorophenoxyacetic Acid                   |
| Biobarrier   | Trifluration/Carbon Black                       | Quali-Pro Glyphosate T & O                   | Isopropylamine Salt of Glyphosate            |
| Boric Acid   | Orthoboric Acid                                 | Razor Pro                                    | Isopropylamine Salt of Glyphosate            |
| Black Flag Ant/Roach/Spider Killer                         | Pyrethrins/Permethrin/MGK-264                   | Reward                                       | Diquat dibromide/Propylene Glycol            |
| Doom Weed Killer Spray                                     | Dichlorophenoxyacetic Acid, DMA Salt, Bromacil  | Roundup Pro                                  | Ispropylamine Salt of Glyphosate             |
| Durazone Weed & Grass Killer                               | Glyphosate, Diquat Dibromide, Indaziflam        | Safer Insecticidal Soap                      | Potassium Salts/Ethyl Alcohol/Methyl Alcohol |
| Ecoexempt G  | Eugenol/Thyme Oil                               | Scythe                                       | Pelarganic Acid                              |
| Ecoexempt KO   | Phenethyl Propionte/Eugenol                     | Sedgehammer                                  | Halosulfuron-Methy                           |
| Ecopco Jet X   | Phenethyl Propionte/Piperonyl Bufonide          | Sluggo Snail and Slug Bait                   | Iron Phosphate                               |
| Enforcer Wasp & Yellow Jacket Foam                         | Tetramethrin/Sumithrin                          | Snapshot 2.5 TH                              | Trifluralin/Isoxaben/Dimethoxybenzamide      |
| Fusilade II  | Fluazifop-P-Butyl Teclnical/Butyl Propanoate    | Speed Zone                                   | Ethyl/Ethylexyl ester                        |
| Gly Star Pro   | Isopropylamine Salt of Glyphosate               | Spectracide Termite Killing Foam             | Lambda-cyhalothrin/Praliethrin               |
| Gopher Getter Bait (Type 2)                                | Diphacinone                                     | Spectricide Ant Shield Home Barrier Granules | Lambda-Cyhalothrin                           |
| Grass Getter   | Sethoxydim                                      | Surestop Mole & Gopher Bait                  | Zinc Phosphide                               |
| Hot Shot Fogger  | Permethrin/Xylene/Tetramethrin                  | Surflan A.S.                                 | Oryzalin/propylene glycol/Glycerine          |
| Killer for Ice Plant Weeds                                 | Magnesium Cloride                               | Termite & Carpenter Ant Killer               | Deltamethrin                                 |
| Lebanon Pro 25-0-8 plus trimec                             | Dichlorophenoxyacetic Acid                      | The Giant Destroyer                          | Sodium Nitrate/Sulfur                        |
| Merit 0.5G   | Imidacloprid                                    | Top Gun Pellet Rodenticide Place Pack        | Bromethalin                                  |
| Montery Garden Insect Spray                                | Spinosad  | Trimec Plus                                  | Monosodium Acid/Dimethylamine Salt           |
| One-Shot (Best)  | 24-D/Mecoprop/Dicamba/Dithiopyr/ Propionic Acid | Turf Supreme with Trimec                     | Dichlorophenozyacetic Acid                   |
| Orthene Systemic Insect                                    | Acephate  | WASP-FREEZE                                  | D-Trans Allethrin/Phenothrin                 |
| Ortho Elementals Garden Disease Control                    | Copper Octanoate                                | Year Round Spray Oil                         | Petroleum Oil/Emulsifier                     |
| PCO Fogger   | Pyrethrin                                       |  |  |
| <b>POSIBLE USO DE PESTICIDAS ARV PEST CONTROL</b>          |   |  |  |
| Contra Rodenticide   | Bromadiolone                                    | Terad 3                                      | Cholecalciferol                              |
| Fumitoxin  | Phosphine                                       | Wilco Zinc AG Bait                           | Zinc Phosphide                               |
| Omega Gopher Grain Bait                                    | Strychnine Alkaloid                             |  |  |

Áreas de Aplicación: Áreas y perímetros interiores y exteriores, según sea necesario. Motivo de aplicación: Para el control de plagas y prevenir su entrada a los salones y evitar el crecimiento excesivo de herbicidas. La reducción de malezas se realizará normalmente los fines de semana o cuando la escuela no está en session.

Usted puede encontrar información sobre estos pesticidas y la reducción del uso de pesticidas en el sitio web del Departamento de Regulación de los Pesticidas de California <http://www.cdpr.ca.gov/schoolipm/>. Una copia del Plan Integrado de Manejo de Plagas (IPM, por sus siglas en inglés) del Distrito Escolar Nacional puede ser visto en cualquier oficina de la escuela o se puede ver en el sitio web del distrito [www.nsd.us](http://www.nsd.us) en: NSD Home →Departments→Maintenance and Operations →IPM.

Padres y tutores pueden solicitar una notificación previa de cada aplicación de pesticidas en el plantel de sus hijos, llenando la pagina adjunta a este aviso y regresandola con el paquete de inscripción. El formulario tambien está disponible en la oficina de la escuela de su hijo/hija o se puede descargar desde el sitio web del Distrito Escolar Nacional: ([www.nsd.us](http://www.nsd.us)) en: NSD Home→For Parents/Students→Parent/Guardian Annual Pesticide Notification.

Padres o tutores que completaron el formulario de Notificacion de Aplicación de Pesticidas serán notificados por lo menos 72 horas antes de que los pesticidas esten programados a ser aplicados en la escuela de sus hijos. Nota: la notificación previa de 72 horas que precede una aplicación de pesticidas obligatoria, no es aplicable durante casos de urgencia que requieren respuesta inmediata.

# Parent /Guardian Request for Individual Pesticide Application Notification

Upon Parent/Guardian request, the School District/School is required to provide information concerning individual pesticide applications at least 72 hours before application at your child's school. Note: the 72 hour prior notification preceding an application requirement is not applicable during "Emergency" (time critical) applications.

**Please return this form to your child's School Office when filled out.**

This notification will stay current as long as your child is enrolled at a National School District school (you do not need to re-apply every year). Please alert your child's School Office staff of any changes in your notification information on this form or if you choose to no longer wish to be notified of pesticide applications at least 72 hours before application.

**Please print neatly when filling out your appropriate section:**

(Select one of the three sections below)

---

**ADD PARENT/GUARDIAN TO NOTIFICATION LIST**

**I would like to be notified before each pesticide application at my child's school**

Name of child: \_\_\_\_\_

School: \_\_\_\_\_ Grade: \_\_\_\_\_ Date: \_\_\_\_\_

Name of Parent/Guardian: \_\_\_\_\_

I would prefer to be contacted by (check one):  E-mail  Letter  Phone

Address: \_\_\_\_\_

Day Phone: (\_\_\_\_) \_\_\_\_\_ Evening Phone: (\_\_\_\_) \_\_\_\_\_

E-mail address: \_\_\_\_\_

---

**DELETE FROM PARENT/GUARDIAN NOTIFICATION LIST**

**I wish to be REMOVED from the pesticide notification list (if previously on list)**

---

**CHANGE INFORMATION ON PARENT/GUARDIAN NOTIFICATION LIST**

**I wish to be MAKE CHANGES to my pesticide notification information**

Name of child: \_\_\_\_\_ School: \_\_\_\_\_ Grade: \_\_\_\_\_

Name of Parent/Guardian: \_\_\_\_\_

Information to be changed: \_\_\_\_\_

\_\_\_\_\_

---

**SECTION FOR SCHOOL OFFICE PERSONNEL ONLY**

**In Synergy**

1. Student > Other Info (tab) > OP Fields (section) > Pesticide Notification field
2. Enter the preferred "contact by" option (only for students with this form submitted by Parent/Guardian)

## Petición del Padre/Tutor para recibir Notificación de Pesticidas

Al recibir petición de los padres/tutores, el distrito escolar y la escuela están obligados a proporcionar la información a la aplicación de pesticidas con 72 horas de anticipación en la escuela de sus hijos. Nota: la notificación previa de 72 horas que precede una aplicación de pesticidas obligatoria, no es aplicable durante casos de urgencia que requieren respuesta inmediata.

### **Después de llenar esta forma, por favor regrese a la oficina de la escuela de su hijo(a)**

Esta notificación estará vigente mientras que sus hijos asistan a las escuelas del Distrito Escolar Nacional (no es necesario aplicar cada año). Por favor avise al personal de la oficina de la escuela de sus hijos de cualquier cambio de información para recibir notificación de pesticidas, o si ya no desea recibir la notificación previa de 72 horas antes de la aplicación de pesticidas.

### **Por favor imprima claramente al llenar la sección correspondiente:**

(Seleccione una de las tres secciones siguientes)

---

### **AGREGAR PADRE/TUTOR A LA LISTA DE NOTIFICACION DE APLICACION DE PESTICIDAS**

**Deseo ser notificado antes de cada aplicación de pesticidas en la escuela de mi hijo(a)**

Nombre del estudiante: \_\_\_\_\_

Escuela: \_\_\_\_\_ Grado: \_\_\_\_\_ Fecha: \_\_\_\_\_

Nombre del Padre/Tutor: \_\_\_\_\_

Prefiero notificación por (marque uno):  E-mail  Carta  Teléfono

Domicilio: \_\_\_\_\_

Teléfono durante el día: ( ) \_\_\_\_\_ Teléfono durante la noche: ( ) \_\_\_\_\_

Correo Electrónico: \_\_\_\_\_

---

### **Excluir Padre/Tutor de la lista de Notificación de Aplicación de Pesticidas**

**Deseo ser EXCLUIDO de la lista de notificación de pesticidas (si previamente en la lista)**

---

### **Cambios a la información de Padres/Tutores en la lista de Notificación de Aplicación de Pesticidas**

**Deseo HACER CAMBIOS a mi información de Notificación de Aplicación de Pesticidas**

Nombre del estudiante: \_\_\_\_\_ Escuela: \_\_\_\_\_ Grado \_\_\_\_\_

Nombre del Padre/Tutor: \_\_\_\_\_

Cambios a la información: \_\_\_\_\_

---

### **SECTION FOR SCHOOL OFFICE PERSONNEL ONLY**

#### **In Synergy**

1. Student > Other Info (tab) > OP Fields (section) > Pesticide Notification field
2. Enter the preferred "contact by" option (only for students with this form submitted by Parent/Guardian)