



**Questions and Answers in reference to:  
National School District  
Request for Proposals  
21-22-238 Internal Connections – Wireless LAN Hardware Installation and  
Configuration  
Page 1 of 2**

Question #1: What is the preferred method for the Pre-installation Wi-Fi survey;  
Passive, Active or Predictive?

Answer: Passive.

Question #2: Is the existing cable infrastructure Cat5E, Cat6 or Cat6A?

Answer: Cat6.

Question #3: Is there a need for new replacement patch cables? If yes, should they be  
Cat6 or Cat6A? Are drawings available for all twelve (12) locations?

Answer: No.

Question #4: In the original RFP on page 21 of 26, NSD breaks down how many access  
points by type and quantity per location. This is also relevant to the price  
list. Will there be another addendum to reflect the new quantities per  
school? Will there be a full breakdown of how many access points per  
school?

Answer: A discrepancy in quantities listed on Addendum 1 was discovered.  
Addendum 3 provides an updated quote sheet which replaces pages 20,  
21, and 22 of the original RFP. If needed for reference, the original page  
21 on the RFP (which has been replaced by Addendum 3) does reflect  
accurate numbers by school site.

Question #5: What mounting will be used for the outdoor access pointes?

Answer: A suitable exterior mounting system will need to be included in the proposal if necessary.

Question #6: In addition to how they will be mounted, will the need be for external antennas, or will there be a need for internal Omni antennas?

Answer: Requested outdoor AP is an Omni antenna.

Question #7: Regarding the bridge in the box, what is the distance of the point-to-point bridge?

Answer: Approximately 110ft to 125ft.

Question #8: How soon will the alternative/substitution documentation be evaluated, and notification of acceptance of a substitution?

Answer: All substitution "or-equal" requests were reviewed and allowed, and the requesting vendors were notified.

Question #9: Please clarify what information is needed for the 2nd half of the following question:  
"Vendor shall provide list of Trade-In costs and/or credits for existing NSD owned equipment (where applicable). Supporting hardware, software, training, maintenance, documentation, and other goods and services should also be included".

Answer: If supporting hardware, software, training, maintenance, documentation, and other goods and services have costs associated with them, they must be included in the RFP pricing.

Question #10: In lieu of the Thanksgiving holiday, will NSD consider a 1-week extension?

Answer: No.

Question #11: Is the design to replace existing only or will there be the need to add more AP's? Teldata needs to see a current AP layout and a new layout.

Answer: Replace existing only.

END OF DOCUMENT